

Natural Pharmacy Business October References

1. Weaver CM, Martin BR, Jackson GS, McCabe GP, Nolan JR, McCabe LD, Barnes S, Reinwald S, Boris ME, Peacock M (2009) Antiresorptive effects of phytoestrogen supplements compared with estradiol or risedronate in postmenopausal women using (41)Ca methodology. *J Clin Endocrinol Metab* 94:3798–3805
2. Ma DF, Qin LQ, Wang PY, Katoh R (2008) Soy isoflavone intake increases bone mineral density in the spine of menopausal women: meta-analysis of randomized controlled trials. *Clin Nutr* 27:57–64
3. Morabito N, Crisafulli A, Vergara C et al (2002) Effects of genistein and hormone replacement therapy on bone loss in early postmenopausal women: a randomized double-blind placebo controlled study. *J Bone Miner Res* 17:1904–1912
4. Marini H, Minutoli L, Polito F et al (2007) Effects of the phytoestrogen genistein on bone metabolism in osteopenic postmenopausal women: a randomized trial. *Ann Intern Med* 146:839–847
5. Wuttke W, Gorkow C, Seidlova-Wuttke D (2006) Effects of black cohosh (*Cimicifuga racemosa*) on bone turnover, vaginal mucosa, and various blood parameters in postmenopausal women: a double-blind, placebo-controlled, and conjugated estrogens controlled study. *Menopause* 13:185–196
6. Manolagas SC (2010) From estrogen-centric to aging and oxidative stress: a revised perspective of the pathogenesis of osteoporosis. *Endocr Rev* 31:266–300
7. Welch A, Macgregor A, Jennings A, Fairweather-Tait S, Spector T, Cassidy A (2012) Habitual flavonoid intakes are positively associated with bone mineral density in women. *J Bone Miner Res* 27:1872–1878
8. Hardcastle AC, Aucott L, Reid DM, Macdonald HM (2011) Associations between dietary flavonoid intakes and bone health in a Scottish population. *J Bone Miner Res* 26:941–947
9. Boyer J, Liu RH (2004) Apple phytochemicals and their health benefits. *Nutr J* 3:5
10. Wattel A, Kamel S, Prouillet C, Petit JP, Lorget F, Offord E, Brazier M (2004) Flavonoid quercetin decreases osteoclastic differentiation induced by RANKL via a mechanism involving NF kappa B and AP-1. *J Cell Biochem* 92:285–295
11. Hogstrom M, Nordstrom P, Nordstrom A (2007) n-3 Fatty acids are positively associated with peak bone mineral density and bone accrual in healthy men: the NO2 Study. *Am J Clin Nutr* 85:803–807
12. Rousseau JH, Kleppinger A, Kenny AM (2009) Self-reported dietary intake of omega-3 fatty acids and association with bone and lower extremity function. *J Am Geriatr Soc* 57:1781–1788
13. Salari P, Rezaie A, Larijani B, Abdollahi M (2008) A systematic review of the impact of n-3 fatty acids in bone health and osteoporosis. *Med Sci Monit* 14:37–44
14. Jarvinen R, Tuppurainen M, Erkkila AT, Penttinen P, Karkkainen M, Salovaara K, Jurvelin JS, Kroger H (2012) Associations of dietary polyunsaturated fatty acids with bone mineral density in elderly women. *Eur J Clin Nutr* 66:496–503
15. Orchard TS, Pan X, Cheek F, Ing SW, Jackson RD (2012) A systematic review of omega-3 fatty acids and osteoporosis. *Br J Nutr* 107(Suppl 2):S253–S260
16. Yang Z, Zhang Z, Penniston KL, Binkley N, Tanumihardjo SA (2008) Serum carotenoid concentrations in postmenopausal women from the United States with and without osteoporosis. *Int J Vitam Nutr Res* 78:105–111
17. Barker ME, McCloskey E, Saha S, Gossiel F, Charlesworth D, Powers HJ, Blumsohn A (2005) Serum retinoids and betacarotene as predictors of hip and other fractures in elderly women. *J Bone Miner Res* 20:913–920
18. Pasco JA, Henry MJ, Wilkinson LK, Nicholson GC, Schneider HG, Kotowicz MA (2006) Antioxidant vitamin supplements and markers of bone turnover in a community sample of non-smoking women. *J Womens Health (Larchmt)* 15:295–300
19. Sahni S, Hannan MT, Blumberg J, Cupples LA, Kiel DP, Tucker KL (2009) Protective effect of total carotenoid and lycopene intake on the risk of hip fracture: a 17-year followup from the Framingham Osteoporosis Study. *J Bone Miner Res* 24:1086–1094
20. Macdonald HM, New SA,

Golden MH, Campbell MK, Reid DM (2004) Nutritional associations with bone loss during the menopausal transition: evidence of a beneficial effect of calcium, alcohol, and fruit and vegetable nutrients and of a detrimental effect of fatty acids. *Am J Clin Nutr* 79:155–165

21. Tucker KL, Chen H, Hannan MT, Cupples LA, Wilson PW, Felson D, Kiel DP (2002) Bone mineral density and dietary patterns in older adults: the Framingham Osteoporosis Study. *Am J Clin Nutr* 76:245–252

22. Sahni S, Hannan MT, Gagnon D, Blumberg J, Cupples LA, Kiel DP, Tucker KL (2009) Protective effect of total and supplemental vitamin C intake on the risk of hip fracture – a 17-year follow-up from the Framingham Osteoporosis Study. *Osteoporos Int* 20:1853–1861

23. Binkley N, Harke J, Krueger D, Engelke J, Vallarta-Ast N, Gemar D, Checovich M, Chappell R, Suttie J (2009) Vitamin K treatment reduces undercarboxylated osteocalcin but does not alter bone turnover, density, or geometry in healthy postmenopausal North American women. *J Bone Miner Res* 24:983–991

24. Feskanich D, Weber P, Willett WC, Rockett H, Booth SL, Colditz GA (1999) Vitamin K intake and hip fractures in women: a prospective study. *Am J Clin Nutr* 69:74–79

25. Booth SL, Broe KE, Gagnon DR, Tucker KL, Hannan MT, McLean RR, Dawson-Hughes B, Wilson PW, Cupples LA, Kiel DP (2003) Vitamin K intake and bone mineral density in women and men. *Am J Clin Nutr* 77:512–516

26. Bolton-Smith C, McMurdo ME, Paterson CR, Mole PA, Harvey JM, Fenton ST, Prynne CJ, Mishra GD, Shearer MJ (2007) Two year randomized controlled trial of vitamin K1 (phylloquinone) and vitamin D3 plus calcium on the bone health of older women. *J Bone Miner Res* 22:509–519

27. Dhonukshe-Rutten RA, Pluijm SM, de Groot LC, Lips P, Smit JH, van Staveren WA (2005) Homocysteine and vitamin B12 status relate to bone turnover markers, broadband ultrasound attenuation, and fractures in healthy elderly people. *J Bone Miner Res* 20:921–929

28. McLean RR, Jacques PF, Selhub J, Tucker KL, Samelson EJ, Broe KE, Hannan MT, Cupples LA, Kiel DP (2004) Homocysteine as a predictive factor for hip fracture in older persons. *N Engl J Med* 350:2042–2049

29. Ravaglia G, Forti P, Maioli F, Servadei L, Martelli M, Brunetti N, Bastagli L, Cucinotta D, Mariani E (2005) Folate, but not homocysteine, predicts the risk of fracture in elderly persons. *J Gerontol A Biol Sci Med Sci* 60:1458–1462

30. Tucker KL, Hannan MT, Qiao N, Jacques PF, Selhub J, Cupples LA, Kiel DP (2005) Low plasma vitamin B12 is associated with lower BMD: the Framingham Osteoporosis Study. *J Bone Miner Res* 20:152–158

31. Stone KL, Bauer DC, Sellmeyer D, Cummings SR (2004) Low serum vitamin B-12 levels are associated with increased hip bone loss in older women: a prospective study. *J Clin Endocrinol Metab* 89:1217–1221

32. McLean RR, Jacques PF, Selhub J, Fredman L, Tucker KL, Samelson EJ, Kiel DP, Cupples LA, Hannan MT (2008) Plasma B vitamins, homocysteine, and their relation with bone loss and hip fracture in elderly men and women. *J Clin Endocrinol Metab* 93:2206–2212

33. Refsum H, Nurk E, Smith AD, Ueland PM, Gjesdal CG, Bjelland I, Tverdal A, Tell GS, Nygard O, Vollset SE (2006) The Hordaland Homocysteine Study: a community-based study of homocysteine, its determinants, and associations with disease. *J Nutr* 136:1731S–1740S

34. Baines M, Kredan MB, Davison A, Higgins G, West C, Fraser WD, Ranganath LR (2007) The association between cysteine, bone turnover, and low bone mass. *Calcif Tissue Int* 81:450–454

35. Nicklas TA, O’Neil CE, Fulgoni VL 3rd (2009) The role of dairy in meeting the recommendations for shortfall nutrients in the American diet. *J Am Coll Nutr* 28(Suppl 1):73S–81S

36. Wang MC, Moore EC, Crawford PB, Hudes M, Sabry ZI, Marcus R, Bachrach LK (1999) Influence of pre-adolescent diet on quantitative ultrasound measurements of the calcaneus in young adult women. *Osteoporos Int* 9:532–535

37. Carpenter TO, DeLucia MC, Zhang JH,

Bejnerowicz G, Tartamella L, Dziura J, Petersen KF, Befroy D, Cohen D (2006) A randomized controlled study of effects of dietary magnesium oxide supplementation on bone mineral content in healthy girls. *J Clin Endocrinol Metab* 91:4866–4872 38.

Song CH, Barrett-Connor E, Chung JH, Kim SH, Kim KS (2007) Associations of calcium and magnesium in serum and hair with bone mineral density in premenopausal women. *Biol Trace Elem Res* 118:1–9 39.

Tranquilli AL, Lucino E, Garzetti GG, Romanini C (1994) Calcium, phosphorus and magnesium intakes correlate with bone mineral content in postmenopausal women. *Gynecol Endocrinol* 8:55–58 40.

Tucker KL, Hannan MT, Chen H, Cupples LA, Wilson PW, Kiel DP (1999) Potassium, magnesium, and fruit and vegetable intakes are associated with greater bone mineral density in elderly men and women. *Am J Clin Nutr* 69:727–736 41.

Nielsen FH (1990) Studies on the relationship between boron and magnesium which possibly affects the formation and maintenance of bones. *Magnes Trace Elem* 9:61–69 42.

Nielsen FH, Hunt CD, Mullen LM, Hunt JR (1987) Effect of dietary boron on mineral, estrogen, and testosterone metabolism in postmenopausal women. *FASEB J* 1:394–397 43.

Hunt CD, Herbel JL, Nielsen FH (1997) Metabolic responses of postmenopausal women to supplemental dietary boron and aluminium during usual and low magnesium intake: boron, calcium, and magnesium absorption and retention and blood mineral concentrations. *Am J Clin Nutr* 65:803–813 44.

Jugdaohsingh R, Tucker KL, Qiao N, Cupples LA, Kiel DP, Powell JJ (2004) Dietary silicon intake is positively associated with bone mineral density in men and premenopausal women of the Framingham Offspring cohort. *J Bone Miner Res* 19:297–307 45.

Tang BM, Eslick GD, Nowson C, Smith C, Bensoussan A (2007) Use of calcium or calcium in combination with vitamin D supplementation to prevent fractures and bone loss in people aged 50 years and older: a meta-analysis. *Lancet* 370:657–666 46.

Chung M, Balk EM, Brendel M, et al. (2009) Vitamin D and calcium: a systematic review of health outcomes. *Evid Rep Technol Assess (Full Rep)* 1–420 47.

Bischoff-Ferrari HA, Willett WC, Wong JB, Giovannucci E, Dietrich T, Dawson-Hughes B (2005) Fracture prevention with vitamin D supplementation: a meta-analysis of randomized controlled trials. *JAMA* 293:2257–2264 48.

Heaney RP, Dowell MS, Hale CA, Bendich A (2003) Calcium absorption varies within the reference range for serum 25-hydroxyvitamin D. *J Am Coll Nutr* 22:142–146 49.

Bischoff HA, Stahelin HB, Dick W, et al (2003) Effects of vitamin D and calcium supplementation on falls: a randomized controlled trial. *J Bone Miner Res* 18:343–351 50.

Boonen S, Lips P, Bouillon R, Bischoff-Ferrari HA, Vanderschueren D, Haentjens P (2007) Need for additional calcium to reduce the risk of hip fracture with vitamin d supplementation: evidence from a comparative meta-analysis of randomized controlled trials. *J Clin Endocrinol Metab* 92:1415–1423 51.

Avenell A, Gillespie WJ, Gillespie LD, O'Connell D (2009) Vitamin D and vitamin D analogues for preventing fractures associated with involutional and post-menopausal osteoporosis. *Cochrane Database Syst Rev* CD000227

References

1. Esfahani A, Wong JM, Truan J, Villa CR, Mirrahimi A, Srichaikul K, et al. Health effects of mixed fruit and vegetable concentrates: a systematic review of the clinical interventions. *Journal of the American College of Nutrition*. 2011;30(5):285-94.
2. Sanchez A, Reeser JL, Lau HS, Yahiku PY, Willard RE, McMillan PJ, et al.

Role of sugars in human neutrophilic phagocytosis. *The American Journal of Clinical Nutrition*. 1973;26(11):1180-4.

3. Clark A, Mach N. Exercise-induced stress behavior, gut-microbiota-brain axis and diet: a systematic review for athletes. *Journal of the International Society of Sports Nutrition*. 2016;13:43.
4. March DS, Marchbank T, Playford RJ, Jones AW, Thatcher R, Davison G. Intestinal fatty acid-binding protein and gut permeability responses to exercise. *European Journal of Applied Physiology*. 2017;117(5):931-41.
5. Simpson RJ, Kunz H, Agha N, Graff R. Exercise and the Regulation of Immune Functions. *Progress in Molecular Biology and Translational Science*. 2015;135:355-80.
6. Cohen S, Doyle WJ, Alper CM, Janicki-Deverts D, Turner RB. Sleep habits and susceptibility to the common cold. *Archives of Internal Medicine*. 2009;169(1):62-7.
7. Rowbotham J, Clayton P. An unsuitable and degraded diet? Part three: Victorian consumption patterns and their health benefits. *Journal of the Royal Society of Medicine*. 2008;101(9):454-62.
8. Volman JJ, Ramakers JD, Plat J. Dietary modulation of immune function by beta-glucans. *Physiology & Behavior*. 2008;94(2):276-84.
9. Rondanelli M, Opizzi A, Monteferrario F. [The biological activity of beta-glucans]. *Minerva Medica*. 2009;100(3):237-45.
10. Talbott SM, Talbott JA. Baker's yeast beta-glucan supplement reduces upper respiratory symptoms and improves mood state in stressed women. *Journal of the American College of Nutrition*. 2012;31(4):295-300.
11. Talbott S, Talbott J. Effect of BETA 1, 3/1, 6 GLUCAN on Upper Respiratory Tract Infection Symptoms and Mood State in Marathon Athletes. *Journal of Sports Science & Medicine*. 2009;8(4):509-15.
12. Talbott SM, Talbott JA, Talbott TL, Dingler E. beta-Glucan supplementation, allergy symptoms, and quality of life in self-described ragweed allergy sufferers. *Food Science & Nutrition*. 2013;1(1):90-101.
13. Mandrone M, Lorenzi B, Maggio A, La Mantia T, Scordino M, Bruno M, et al. Polyphenols pattern and correlation with antioxidant activities of berries extracts from four different populations of Sicilian *Sambucus nigra* L. *Natural Product Research*. 2014;28(16):1246-53.
14. Ivanova D, Tasinov O, Kiselova-Kaneva Y. Improved lipid profile and increased serum antioxidant capacity in healthy volunteers after *Sambucus ebulus* L. fruit infusion consumption. *International Journal of Food Sciences and Nutrition*. 2014;65(6):740-4.
15. Zakay-Rones Z, Thom E, Wollan T, Wadstein J. Randomized study of the

- efficacy and safety of oral elderberry extract in the treatment of influenza A and B virus infections. *The Journal of International Medical Research*. 2004;32(2):132-40.
16. Zakay-Rones Z, Varsano N, Zlotnik M, Manor O, Regev L, Schlesinger M, et al. Inhibition of several strains of influenza virus in vitro and reduction of symptoms by an elderberry extract (*Sambucus nigra* L.) during an outbreak of influenza B Panama. *Journal of Alternative and Complementary Medicine* (New York, NY). 1995;1(4):361-9.
 17. Tiralongo E, Wee SS, Lea RA. Elderberry Supplementation Reduces Cold Duration and Symptoms in Air-Travellers: A Randomized, Double-Blind Placebo-Controlled Clinical Trial. *Nutrients*. 2016;8(4):182.
 18. Shaik-Dasthagirisaheb YB, Varvara G, Murmura G, Saggini A, Caraffa A, Antinolfi P, et al. Role of vitamins D, E and C in immunity and inflammation. *Journal of Biological Regulators and Homeostatic Agents*. 2013;27(2):291-5.
 19. Hemila H, Chalker E. Vitamin C for preventing and treating the common cold. *The Cochrane Database of Systematic Reviews*. 2013(1):Cd000980.
 20. Gruenwald J, Graubaum HJ, Busch R, Bentley C. Safety and tolerance of ester-C compared with regular ascorbic acid. *Advances in Therapy*. 2006;23(1):171-8.
 21. Mitmesser SH, Ye Q, Evans M, Combs M. Determination of plasma and leukocyte vitamin C concentrations in a randomized, double-blind, placebo-controlled trial with Ester-C(R). *SpringerPlus*. 2016;5(1):1161.
 22. Moyad MA, Combs MA, Vrablic AS, Velasquez J, Turner B, Bernal S. Vitamin C metabolites, independent of smoking status, significantly enhance leukocyte, but not plasma ascorbate concentrations. *Advances in Therapy*. 2008;25(10):995-1009.
 23. Van Straten M, Josling P. Preventing the common cold with a vitamin C supplement: a double-blind, placebo-controlled survey. *Advances in Therapy*. 2002;19(3):151-9.
 24. Cannell JJ, Vieth R, Umhau JC, Holick MF, Grant WB, Madronich S, et al. Epidemic influenza and vitamin D. *Epidemiology and Infection*. 2006;134(6):1129-40.
 25. Berry DJ, Hesketh K, Power C, Hypponen E. Vitamin D status has a linear association with seasonal infections and lung function in British adults. *The British Journal of Nutrition*. 2011;106(9):1433-40.
 26. Seasonal influenza: guidance, data and analysis 2017. Available from: <https://www.gov.uk/government/collections/seasonal-influenza-guidance-data-and-analysis> <<https://www.gov.uk/government/collections/seasonal-influenza-guidance-data-and-analysis>> .
 27. Hypponen E, Power C. Hypovitaminosis D in British adults at age 45 y: nationwide cohort study of dietary and lifestyle predictors. *The American Journal of Clinical Nutrition*. 2007;85(3):860-8.

28. Gombart AF. The vitamin D-antimicrobial peptide pathway and its role in protection against infection. *Future Microbiology*. 2009;4(9):1151-65.
29. von Essen MR, Kongsbak M, Schjerling P, Olgaard K, Odum N, Geisler C. Vitamin D controls T cell antigen receptor signaling and activation of human T cells. *Nature Immunology*. 2010;11(4):344-9.
30. Ginde AA, Mansbach JM, Camargo CA, Jr. Association between serum 25-hydroxyvitamin D level and upper respiratory tract infection in the Third National Health and Nutrition Examination Survey. *Archives of Internal Medicine*. 2009;169(4):384-90.
31. Martineau AR, Jolliffe DA, Hooper RL, Greenberg L, Aloia JF, Bergman P, et al. Vitamin D supplementation to prevent acute respiratory tract infections: systematic review and meta-analysis of individual participant data. *BMJ (Clinical research ed)*. 2017;356:i6583.
32. Norlin AC, Hansen S, Wahren-Borgstrom E, Granert C, Bjorkhem-Bergman L, Bergman P. Vitamin D3 Supplementation and Antibiotic Consumption - Results from a Prospective, Observational Study at an Immune-Deficiency Unit in Sweden. *PloS one*. 2016;11(9):e0163451.
33. Bergman P, Norlin AC, Hansen S, Rekha RS, Agerberth B, Bjorkhem-Bergman L, et al. Vitamin D3 supplementation in patients with frequent respiratory tract infections: a randomised and double-blind intervention study. *BMJ open*. 2012;2(6).
34. Bashir M, Prietl B, Tauschmann M, Mautner SI, Kump PK, Treiber G, et al. Effects of high doses of vitamin D3 on mucosa-associated gut microbiome vary between regions of the human gastrointestinal tract. *European Journal of Nutrition*. 2016;55(4):1479-89.
35. Heaney RP, Recker RR, Grote J, Horst RL, Armas LA. Vitamin D(3) is more potent than vitamin D(2) in humans. *The Journal of Clinical Endocrinology and Metabolism*. 2011;96(3):E447-52.
36. Oliveri B, Mastaglia SR, Brito GM, Seijo M, Keller GA, Somoza J, et al. Vitamin D3 seems more appropriate than D2 to sustain adequate levels of 25OHD: a pharmacokinetic approach. *European Journal of Clinical Nutrition*. 2015;69(6):697-702.
37. Tripkovic L, Lambert H, Hart K, Smith CP, Bucca G, Penson S, et al. Comparison of vitamin D2 and vitamin D3 supplementation in raising serum 25-hydroxyvitamin D status: a systematic review and meta-analysis. *The American Journal of Clinical Nutrition*. 2012;95(6):1357-64.
38. Hao Q, Dong BR, Wu T. Probiotics for preventing acute upper respiratory tract infections. *The Cochrane Database of Systematic Reviews*. 2015(2):Cd006895.
39. Smith TJ, Rigassio-Radler D, Denmark R, Haley T, Touger-Decker R. Effect of *Lactobacillus rhamnosus* LGG(R) and *Bifidobacterium animalis* ssp. *lactis* BB-12(R) on health-related quality of life in college students affected by upper

respiratory infections. *The British Journal of Nutrition*. 2013;109(11):1999-2007.

40. Prasad AS. Zinc in human health: effect of zinc on immune cells. *Molecular Medicine* (Cambridge, Mass). 2008;14(5-6):353-7.

41. Prabhu KS, Lei XG. Selenium. *Advances in Nutrition* (Bethesda, Md). 2016;7(2):415-7.

42. Percival SS. Copper and immunity. *The American Journal of Clinical Nutrition*. 1998;67(5 Suppl):1064s-8s.